


CLICKLIFT6050

Clicklift manhole cover frame raising system 600 x 600 x 50mm



DESCRIPTION

Clicklift manhole cover frame raising system $600 \times 600 \times 50$ mm



SPECIFICATION





General information

Stock code CLICKLIFT6050

Primary material Ductile iron

Dimensions

Overall frame (A x B) 640 mm x 640 mm

Clear opening (C x D) 600 mm x 600 mm

Frame depth (E) 50mm

NOTES

Clicklift is a BSI Kitemarked system.

CLICKLIFT COMPATIBILITY

| Stock code | Size (mm) | Tristar compatible products | |
|---------------|----------------|-----------------------------|----------------|
| | | 100mm depth | 150mm depth |
| CLICKLIFT6030 | 600 x 600 x 30 | DMTOD4/6060/KT | DMTOD6/6060/KT |
| CLICKLIFT6040 | 600 x 600 x 40 | | |
| CLICKLIFT6050 | 600 x 600 x 50 | | |
| CLICKLIFT6060 | 600 x 600 x 60 | | |

| Stock code | Size (mm) | Highway compatib | Highway compatible products | |
|------------|-----------|------------------|-----------------------------|--|
| | | 100mm depth | 150mm depth | |





| Stock code | Size (mm) | Highway compatible products | |
|---------------|----------------|-----------------------------|-----------------------|
| CLICKLIFT6030 | 600 x 600 x 30 | <u>DMT0D4/6060/KH</u> | <u>DMTOD6/6060/KH</u> |
| CLICKLIFT6040 | 600 x 600 x 40 | | |
| CLICKLIFT6050 | 600 x 600 x 50 | | |
| CLICKLIFT6060 | 600 x 600 x 60 | | |

- 1. Wrekin Products Ltd is continually seeking to improve our products and therefore reserves the right to alter product specifications without prior notice.
- 2. It is the responsibility of all users to satisfy themselves the above data is current.
- 3. Installation details are available on request.
- 4. All Wrekin products are supplied subject to our <u>Terms and Conditions of Sale</u>







