

THE PAGE YOU ARE LOOKING FOR CANNOT BE FOUND.

Please use the options below, or contact us if you need help.

FIND YOUR SOLUTION

Unite Manhole Covers

The most robust manhole cover range, packed full of features which combine to give Unite the longest life and lowest whole life cost available.




Unite D400 Gully Grates

Our premium Unite D400 gully grate combines new technology with proven features to deliver a super long-life and the lowest whole-life cost of any D400 gully grate.



Highway Manhole Covers

Highway is the most comprehensive range on the market with a huge variety of shapes, sizes and options, including our HaloHinge covers, which enable single person lifting.



Highway Gully Grates

The Highway range offers our most extensive variety of gully grates, including three flange, four flange and V gully grates.




Highway D400 Surface Boxes

Our Highway D400 surface boxes come with indexed covers, enlarged frame corners and are 70+ PSRV tested.



Tristar D400 Manhole Covers

Tristar D400 ductile iron access covers fully comply with BS EN 124:2015 and carry the BSI Kitemark. Tristar contains innovative design features that mark it out from the competition.



The Tristar range of gully grates are our most competitive range to date. Our straight bar hinged gully grates address many of the most common issues related to cost-effective products.



Tristar Surface Boxes

Our surface boxes are all manufactured from highly durable ductile iron, which offers high strength and light performance in robust enclosures.




SafeSeal Manhole Covers

A15, B125 and C250 manhole covers which all incorporate a single labyrinth seal, helping to prevent odour escapes and water ingress.



Cargo F900 Manhole Covers

Cargo access covers are engineered to endure immense loads, providing a reliable solution for shipping, aviation, and industrial sectors with durability, strength, and dependability.



ductile iron's strength in a 1.2m x 1.2m size.



Vault D400 Manhole Covers

Exceeds the requirements of LPS 1175 SR3, providing security for valuable communication assets used in the development of smart motorways and the control of matrix signs.



Force D400 Manhole Covers

Round, hinged, robust manhole covers, utilising our unique anti-debris technology to ensure a simple and easy lift every time.



Multigrate 250kN

The temporary replacement for stolen or broken gully gratings that's simple, rapid and cost-effective to install.



Recessed aluminium trays

High-quality, strong, resistant and recyclable aluminium recessed access covers. Available in 40mm and 60mm depths, they are suitable for outdoor and indoor use, in areas where a superior finish is required.



Recessed trays for block infill

Our steel recessed covers have a sunken steel tray, ideally suited for block paving, screed and other materials to be laid within.



Includes Openreach approved trays.

Deep trays for floor finish

Deep recessed steel access covers and frames, suitable for use in a heavy-duty environment such as areas where lorries and forklift traffic operate.



Shallow trays for floor finish


Concrete filled trays

Our Openreach approved covers and frames are suitable for footway developments where replacement covers, or new chamber builds are required.




Pulse

Pulse delivers exceptional strength, stability and long-term performance for demanding carriageway environments. Developed for stringent telecoms requirements and refined for highways, it provides whole-life value and helps reduce carbon across busy networks.



Tel: 01543 440 440
Fax: 01543 440 444
info@wrekinproducts.com
wrekinproducts.com





Contact us

Whether you are looking for live project support, or are in the initial stages of specification, we are always on hand and happy to help.

Tel: 01543 440 440
Fax: 01543 440 444
info@wrekinproducts.com
wrekinproducts.com



- ▶ All information provided is subject to change without notice. While every effort is made to ensure accuracy and relevance, Wrekin Products Ltd. does not warrant the completeness or reliability of the information contained herein. Photographs, illustrations, and other visual materials are provided for illustrative purposes only.
- ▶ Wrekin Products Ltd. reserves the right to make design amendments or improvements to any product at any time, where such changes enhance performance or durability, without affecting compliance with the stated standards.
- ▶ Where errors or omissions are identified, amendments will be made as quickly as possible.
- ▶ It is the responsibility of all users to satisfy themselves the above data is current.
- ▶ All values stated are nominal within 2.5% tolerance.
- ▶ Installation details are available in the [knowledge base](#).
- ▶ All Wrekin products are supplied subject to our [terms and conditions of sale](#).